

R/W CALLS

| Course | Bearing | Distance |
|--------|---------------|----------|
| 42 | S 56°09'41" E | 88.06' |
| 43 | S 53°10'40" E | 107.39' |
| 44 | S 60°53'27" E | 33.76' |
| 45 | S 69°18'13" E | 59.22' |
| 46 | S 72°22'30" E | 107.50' |
| 47 | S 70°46'13" E | 53.87' |
| 48 | S 67°48'21" E | 43.92' |
| 49 | S 64°11'08" E | 60.39' |
| 50 | S 56°04'57" E | 25.24' |
| 51 | S 44°37'50" E | 45.29' |
| 52 | S 45°38'40" E | 38.24' |
| 53 | S 31°57'33" E | 58.68' |
| 54 | S 31°39'16" E | 49.95' |
| 55 | S 39°18'27" E | 64.50' |

NOTE: BLUE PAINTED TREE LINE LIES GENERALLY WEST OF P/L IN THIS AREA.

OLD LOGGING ROAD MEANDERS ALONG P/L CALLS 31 - 40

CALL TABLE

| Course | Bearing | Distance |
|--------|---------------|----------|
| 15 | N 05°21'41" E | 13.32' |
| 16 | N 05°42'42" E | 11.98' |
| 17 | N 12°42'03" W | 10.04' |
| 18 | N 25°10'13" W | 28.80' |
| 19 | N 18°51'22" W | 38.17' |
| 20 | N 04°29'07" E | 53.95' |
| 21 | N 21°28'16" E | 38.82' |
| 22 | N 21°49'15" E | 33.57' |
| 23 | N 08°53'09" E | 44.96' |
| 24 | N 75°15'18" E | 159.37' |
| 25 | N 75°44'12" E | 189.71' |
| 26 | N 80°58'17" E | 80.42' |
| 27 | N 80°16'29" E | 28.99' |
| 28 | S 73°06'27" E | 38.01' |
| 29 | S 63°18'22" E | 78.04' |
| 30 | S 71°15'59" E | 46.44' |
| 31 | S 72°48'54" E | 25.92' |
| 32 | N 28°17'08" W | 182.23' |
| 33 | N 42°45'53" W | 128.96' |
| 34 | N 30°28'03" W | 39.99' |
| 35 | N 00°32'16" E | 243.44' |
| 36 | N 43°17'29" W | 177.67' |
| 37 | N 19°20'54" W | 85.01' |
| 38 | N 10°51'49" E | 189.13' |
| 39 | N 04°31'10" E | 206.25' |
| 40 | N 07°13'03" W | 204.29' |
| 41 | N 10°18'37" E | 295.81' |

N/F PFISTER INVESTMENTS, N.V.
PB 33, pg 294

NOTE: P/L WITH PFISTER INVESTMENTS, N.V. IS PER AGREED LINE RECORDED IN PB 8, pg 210

N/F PFISTER INVESTMENTS, N.V.
PB 33, pg 294

IPS @ DISTURBED 5/8" REBAR FOUND AT THE CENTERLINE OLD ROAD AT HEAD OF GULLY

DITCH CALLS

| Course | Bearing | Distance |
|--------|---------------|----------|
| 1 | N 25°01'18" W | 83.89' |
| 2 | N 27°13'02" W | 18.88' |
| 3 | N 17°35'54" E | 14.47' |
| 4 | N 04°51'51" W | 34.03' |
| 5 | N 30°27'48" W | 38.25' |
| 6 | N 04°17'28" E | 72.09' |
| 7 | N 16°15'40" W | 26.86' |
| 8 | N 31°53'09" W | 52.61' |
| 9 | N 26°15'06" W | 22.99' |
| 10 | N 26°47'01" W | 133.92' |
| 11 | N 39°30'52" W | 169.16' |
| 12 | N 11°53'04" W | 53.78' |
| 13 | N 25°51'04" W | 212.82' |

BRANCH CALLS

| Course | Bearing | Distance |
|--------|---------------|----------|
| 11 | S 87°27'10" W | 25.28' |
| 12 | N 39°28'10" W | 51.21' |
| 13 | N 56°26'55" W | 36.53' |
| 14 | N 17°18'59" W | 36.53' |
| 15 | N 42°36'28" W | 11.22' |
| 16 | N 75°44'57" W | 27.01' |


Filed in office of Clerk of Superior Court Gilmer County, Georgia, 9th day of SEPTEMBER, 2006
at 3:00 P.M., Page No. 4B, Page 9
Jeff E. Chastain

STANDARD NOTES
SEE SHEET 02 OF 07 FOR CLOSURE, FLOOD, LEGAL STATEMENTS AND OTHER DATA.

LEGEND

| | | |
|-----------------------------|--------------------|------------------|
| ○ (DB) — IRON PIN | ⊗ FIRE HYDRANT | ⊕ UTILITY VALVE |
| ○ (OT/P) — OPEN TOP PIPE | ⊗ UTILITY POLE | ⊗ TELE PEDESTAL |
| ⊗ (CT/P) — CRIMP TOP PIPE | ⊗ WELL | ⊗ POWER BOX |
| ⊗ (IPS) — IRON PIN SET | ⊗ WATER METER | ⊗ SPRING HEAD |
| △ TREE | — LAND LOT LINE | — STREAM OR POND |
| △ COMPUTED POSITION | — MONUMENT | — FENCE |
| ⊗ ROCK | — MONUMENT | — GRAVEL |
| ⊗ (DB/P) — DEED BOOK & PAGE | — PLAT BOOK & PAGE | — RIGHT OF WAY |
| ⊗ (N/F) — NOW OR FORMERLY | — PROPERTY LINE | |
| — P/L | — CENTERLINE | |
| — UTILITY POLE | | |
| — PAVMT | | |
| — GRVL | | |
| — P.O.B. | | |

MONUMENT DIMENSION ARE OUTSIDE/OVERALL DIMENSIONS ALL IPS ARE 5/8" REBAR UNLESS OTHERWISE NOTED



Survey For:
The Foundation Land Company, LLC
 REFERENCE: DB 1219, pg 327
 LAND LOT(S) — 47, 48, 61 & 62
 DISTRICT — 24th SECTION — 2nd
 CO — GILMER STATE — GEORGIA
 DATE — JANUARY 26, 2006
Chastain & Associates, P.C.
 LAND SURVEYING and PLANNING
 P.O. Box 1824 — Ellijay, Georgia 30540
 Phone: (706) 276-7528
 PLOT FILE: 206A07C SHEET 04 OF 07

